### **TOSHIBA**

# B-EX4D2 B-EX4T2 INDUSTRIAL PRINTER

### Product brochure

- The B-EX4D2 and B-EX4T2 printing solutions feature high quality and economical industrial products which deliver low running costs and total cost of ownership.
- Available in a variety of resolutions for the most diverse industrial printing applications they easily integrate into existing workflows.
- > Free your business from the constrains of legacy systems simply plug and play.





# HIGH PERFORMANCE AT LOW COSTS

Industrial printing can be very demanding and you need systems you can rely on to keep your business workflows run smoothly. With Toshiba's B-EXD42 and B-EX4T2 series you have high-performance models available which increase your efficiency while at the same time ensuring economical benefits.

With speeds of up to 12 ips, the 4 inch B-EX4D2 an B-EX4T2 range were made for demanding industrial printing. Advanced processing power ensures not only fast output, but also efficient throughput.

### Compatibility

Both series were designed to seamlessly replace existing products, using Z-Mode emulation to integrate into legacy software systems. Flat-head technology, left justified media and the use of inside and outside wound ribbons allows for replacement of ageing and costly to operate printing estates (with easy transition from old label and ribbon stock).

## **Key Highlights**

- > Low cost industrial printing
- Cost-effective, for legacy system replacement
- High-performance and extremely durable
- > Extra-long ribbon (600m) for increased productivity
- Emulation for easy replacement of competitor's products
- Optional WLAN (2.4 GHz/5 GHz) for improved connectivity

#### Ribbon & Media

Left-hand aligned media, with the option for inside or outside wound ribbon, ensures compatibility and competitiveness within the media marketplace. An 600 m ribbon is also available, for fewer media changes and further lowering the total cost of ownership.

### **Easy Maintenance**

With innovative technology like double-ribbon motor control, snap-in printheads and field upgradeable options, the B-EXD42 and B-EX4T2 series continue to lower maintenance costs.

### Specialist printing

All models are available in either 203, 300 or 600<sup>1)</sup> dpi variants, allowing for specialist high-resolution printing with superior print quality.

### **Applications**

- > Logistics and Postal services
  - Shipping/receiving labels, address labels, pallet labels
- Manufacturing
  - Carton labels, rating labels, picking labels, parts labels
- > Retail
  - Price label, shelf tags, receipts
- > Other applications
  - Office administration, Hospitality & Leisure ticketing, Healthcare, Utilities & Government





Intuitive usage for utmost efficiency.

### **SPECIFICATIONS**

#### Models

Direct Thermal B-EX4D2-GS12

Resolution 203 dpi

(8 dots/mm)

Thermal Transfer B-EX4T2-GS12 B-EX4T2-TS12 B-EX4T2-HS12

Resolution 203 dpi 300 dpi

600 dpi (11.8 dots/mm) (23.6 dots/mm) (8 dots/mm)

-40°C to 60°C / 10-90% non-condensing

### General

Printhead Flat head

278 x 460 x 310 mm Dimensions (W x D x H)

17 kg Weight

16 MB (FROM), 32 MB (SRAM) Memory

Graphic LCD, 2 x LED, 10 x key User interface

Operating Temperature /

Humidity

relative humidity (RH)

Storage Temperature / Humidity

5°C to 40°C / 25-85% non-condensing

relative humidity (RH)

AC 100 to 240V, 50/60 Hz AC adapter Power supply

### Media

Alignment Left

**Backing Paper Width** 25-114 mm

Media Thickness Label: 0.13-0.17 mm

Tag: 0.08-0.17 mm

Inner Media Core Diameter **Outer media Roll Diameter** 200 mm

Media Type Vellum paper and labels, Matt coated paper,

Glossy coated paper, Synthetic film, PET film,

Polyimide

Media Format Roll, Fanfold

### Software & Connectivity

**Emulation** ZPL II. DPL

**Printer Driver** Windows 10/8/7/Vista (32/64 bit),

Windows Server 2012/Server 2008 (32/64 bit)

USB 2.0, Ethernet 10/100 Base, RS2322), Interface

Centronics<sup>2)</sup>, Wireless LAN 802.11a/b/g/n/ac (Dual band for 2.4 GHz / 5 GHz)<sup>2(3)</sup>

TPCL. Basic Command Interpreter (BCI) Language Mode

**Label Software** BarTender UltraLite (co-packed)



### **Print**

Sensor Reflective, Transmissible

**Maximum Print Speed** GS & TS: 305 mm/second (12 ips)

HS: 152 mm/second (6 ips)

**Maximum Print Width** 104 mm

**Print Length** Direct Thermal

Thermal Transfer Batch: 8-1,498 mm Batch: 8-1,498 mm Cut: 19-1,494 mm Cut: 23.4-1,494 mm Peel-off: 13-254 mm Peel-off: 23.4-254 mm

Barcodes UPC/EAN/JAN, Code 39, Code 93, Code 128,

EAN 128, NW7, MSI, Interleaved 2 of 5, Industrial 2 of 5, Matrix 2 of 5, Postnet, RM4SCC, KIX-Code,

Customer Barcode, GS1 Databar

2D Codes Data Matrix, PDF 417, Maxicode, QR Code,

Micro PDF 417, CP Code

Bitmap font, Outline font, Price font, Writeable **Fonts** 

character, Optional True Type

### Ribbon<sup>1)</sup>

Ribbon Width 41-112 mm Ribbon Core Size 25.4 mm (1 inch)

Max. Ribbon Length 600 m Max. Ribbon Diameter 90 mm

### **Options**

For B-EX4D2/T2 Cutter, Peel-off & internal rewinder, RTC USB host,

RS232, Centronics, Wireless LAN3

1) B-EX4T2 only

2) Optional

3) Availability varies from country to country





#### **About Toshiba Tec**

Toshiba Tec Corporation is a leading provider of information technology, operating across multiple industries - ranging from retail, education and business services to hospitality and manufacturing. With headquarters in Japan and over 80 subsidiaries worldwide, Toshiba Tec Corporation helps organisations transform the way they create, record, share, manage and display information.

For more information please contact us:

### **Toshiba Tec Corporation** 1-11-1, Osaki, Shinagawa-ku, Tokyo 141-8562, Japan

Website

www.toshibatec.com

Together Information is Toshiba's vision for how people and organisation create, record, share, manage and display ideas and data.
It is based on our belief that the most successful organisations are those that communicate information in the most efficient way.
We make that possible through an integrated portfolio of industry-specific solutions, all of which reflect Toshiba's commitment to the future of the planet.